




N A G A R J U N
INTERNATIONAL TRADING COMPANY

We Grow Together...

18
YEARS



AN ISO 9001 : 2015 CERTIFIED COMPANY

2023

INDUSTRIAL WASHING, FINISHING EQUIPMENTS & POWER LAUNDRY MACHINERIES

Industrial Stack Washer and Dryer

TECHNICAL SPECIFICATION

Model	SSWXD 15	SSWXD 20
DRYER		
Dry Weight in Kg	15	20
Drum Size in mm	Ø750 x 650	Ø850 x 700
Door Open in mm	500	500

WASHER EXTRACTOR

Dry Weight in Kg	15	20
Drum Size in mm	Ø580 x 460	Ø700 x 450
Door Open in mm	400	400

GENERAL


DRYER		
Motor Power in kw	0.25	0.4
Heating Type	Electric	
Heater in Kilowatt	12	18
Consumption/Hr	9 Unit	14 Unit

WASHER EXTRACTOR

Motor Power in kw	0.5	0.8
Heating Type	Electric	
Heater in kw	2	3
Consumption/Hr	Optional	Optional
Dimension in mm	930 x 880 x 2080	930 x 960 x 2080
Weight in Kgs	480	530

PERFORMANCE

Motor Brand	Imported
Volt	220/1Ø
Forward/reverse	Adjustable 0-60 Seconds
Time	0-60 min controlled by PCB
Control panel	PCB With Feather Touch
Temperature	0-50° by PCB
No of Programme	5
Washing Rpm	37
Extraction Speed	480
Drying speed Rpm	32



SAFETY

Door Open Cut Off	Door Limit Switch
-------------------	-------------------

CONSTRUCTION

	WASHER	DRYER
Inner Drum	SS 304 Grade	SS 304 Grade
Outer Drum	Mild Steel	Mild Steel
Outer Body	SS 304 Grade	SS 304 Grade
Mounting Type	Soft	Soft
Door	Stainless Steel	Mild Steel
Cutting	CNC	CNC
Bending	CNC	CNC
Welding	Laser/MIG/TIG	Laser/MIG/TIG
Foundation	Not Required	Not Required

AESTHETIC

Overall Finish	Matt Finished Stainless Steel
Logo	Starfish Polycarbon Sticker



- Our industrial stack washer dryer is a convenient and efficient laundry solution that combines a washing machine and a dryer in one unit. The washing machine and dryer work individually, so you can use them separately or together. Dryer drum rotates forward and reverse to make dry quickly. You can also choose from UPI, IC CARD & COIN Operated models to suit your payment preferences.
- Maximize Space Efficiency
- Stylish design and user-friendly interface
- Enhanced stability with auto balance technology
- Rust-resistant stainless steel drum
- Five wash programs, including a 30-minute quick wash option
- Temperature selection ranging from cold to 60 degrees, spin speed selection from 0 to 800rpm
- Equipped with high-quality bearing for optimal performance under Heavy load conditions.



Head Office :

3/869-A, Ground Floor, Moolakadai,
Nochipalayam Pirivu, Palladam Main Road,
Veerapandi (Post), TIRUPUR - 641605,
TAMILNADU, INDIA
Ph: +91-421- 4333009, 4330009, 4333678

Corporate Office :

Ground Floor, #13, K.V.R. Arcade, 2nd Main Road,
3rd Block, Behind Gokuldas Images,
Goraguntepalya, BENGALURU - 560022,
KARNATAKA, INDIA
Ph: +91 080 41507898



+91 934 57 57 898



sales@nagarjun-itc.com



www.starfishindia.com

Online shopping log on www.starfishindia.com