




N A G A R J U N
INTERNATIONAL TRADING COMPANY

We Grow Together...
























AN ISO 9001: 2015 CERTIFIED COMPANY

INDUSTRIAL WASHING, FINISHING EQUIPMENTS & POWER LAUNDRY MACHINERIES

Cloth Stacker | Vacuum Feeder | Towel Folder



VACUUM FEEDER


- Connects with articulated ironer for different linen types. Reduces linen gap, improves quality and efficiency.
- Removes wrinkles and lint with double side brush. Works with ironer synchronically, compact design.
- Strong airflow for smooth and flat feeding of sheet, quilt cover, pillowcase, napkin and tablecloth.
- Adjusts to different linen thicknesses with knob controller (PLC control available), variable frequency fan motor and step less adjustment to reduce heavy linen drop.

TECHNICAL SPECIFICATION

Model	SVF 3000	SVF 3300
Working Width in mm	3000	4700
Working Speed m/min	50	50
Dimension in mm 1360 x 4400 x 155		1360 x 4400 x 1550

GENERAL

Motor Power in kw	3.25	3.25
Voltage	415/3Ø	415/3Ø
Foundation	-	-
Weight in Kgs	800	950





Cloth Stacker | Vacuum Feeder | Towel Folder

CLOTH STACKER

- Saves time and reduces labor intensity.
- Protects operator's safety.
- Easy to operate with adjustable control system.
- Low noise with bottom ventilation structure.
- Suitable for all kinds of fabric.
- Easy to clean the fan dust with drawer type filter.

TECHNICAL SPECIFICATION

Model	SCS 900
Stacking Width in mm	900
Over All Dimension in mm	2700 x 1300 x 1000

GENERAL

Motor Power in kw	0.25
Electric Drum Power in kw	0.18
Voltage	415 / 3Ø
Foundation	Not Required
Weight in Kgs	320



TOWEL FOLDER

- Standard 1,2,3 fold by air and 4th fold by knife
- Two lateral folds, two cross folds

TECHNICAL SPECIFICATION

Model	STF 1800
Folding Size in mm	1800 x 1200
No. of Folding	4
Folding Speed M/min	50
Over All Dimension in mm	4500 x 2150 x 1350

GENERAL

Motor Power in kw	2
Voltage	415/3Ø
Air Inlet in mm	12.5
Air Pressure Mpa	0.4 - 0.6
Foundation	Not Required
Weight in Kgs	1000

- Fast folding speed 900 -1500 pcs towel per hour
- Different fold patterns for different towel folding needs
- Reliable and stable work with advanced frame structure and imported key parts and components
- High intelligent controller with 7 inches Touch Screen.
- Displays towel size, folding size, stack position, etc. for operator's convenience.
- Folding standard distinction function to avoid folding extra wide towel, protect and alarm, ensure folding quality.
- Folds various towels in multiple ways
- Transmission system with speed closed-loop function and electric-optical speed measurement system.

